


# 5 AXES MACHINING CENTRE

## MOVING PARTS, ENGINES AND GEAR BOXES

### FUNCTION

- This machine is designed to achieve the following machinings :  
 Drilling, tapping, chamfering of the ends.  
 Drilling and couterboring of perpendicular holes.



### CHARACTERISTICS



Machine axes strokes :





<b>Feed table Z axis :</b>	Useful stroke : 845 mm
<b>Feed table X axis :</b>	Useful stroke : 480 mm
<b>Feed table Y axis :</b>	Useful stroke : 260 mm
<b>Feed table U axis :</b>	Useful stroke : 160 mm

Autonomous machine :

<b>Length :</b>	5,675 m
<b>Width :</b>	2,200 m
<b>Height :</b>	3,100 m
	3,670 m (with aspiration group)
<b>Electrical cabinet :</b>	2200 X 1800 X 500
<b>Weight :</b>	10 000 Kg

05/2007



APPLICATIONS	PARTS
ENGINE *	<b>CAMSHAFTS</b> 
	<b>CRANKSHAFTS</b> 
GEAR BOX	<b>PRIMARY SHAFTS</b> 
	<b>SECONDARY SHAFTS</b> 

\* This machine can also be adapted to the machining of the shown parts.